

Notice of Allowability

Application No.

10/612,267

Examiner

Robert G. Santos

Applicant(s)

BROWN ET AL.

Art Unit

3673

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the papers filed on 28 May 2004.
2. ☒ The allowed claim(s) is/are 1-20.
3. ☒ The drawings filed on 01 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413), Paper No./Mail Date 05202004.
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.


ROBERT G. SANTOS
PRIMARY EXAMINER

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The examiner respectfully asserts that none of the prior art, taken either singly or in combination, is seen to teach or suggest the use of a pillow having the particular structural combination of a pillow body having a padded region comprising an upper section, a lower section, and two side sections that surround a well region wherein the pillow body *angles upward from the lower section to the upper section* and wherein the well region is situated between the upper and lower sections *so as to be suspended above a surface onto which the pillow body rests* as specifically recited in **each** of Applicants' independent claims 1, 9 and 14. With regards to the prior art, although the Pullman '453 and Wallis '765 references each disclose the use of a support device comprising a body which angles upward from a lower section to an upper section, the respective "well sections" in each of these devices is designed to rest directly on a supporting surface in order to provide stability; moreover, although the Gebhard et al. '066 and Alivizatos '237 patents each disclose the use of a supporting apparatus including a well region which is suspended between upper and lower sections, these devices are also disclosed as being formed from materials having ample resiliency (i.e., an inflatable bladder and a mass of flowable beads, respectively) to support comfortably a user in any position, thereby rendering the motive to provide an upper section that is raised and/or angled relative to a lower section unnecessary. (With regards to the newly cited prior art, the supporting device disclosed in Salido et al. '850 lacks the use of a suspended well region in order to accommodate fully the head of a newborn infant, whereas the support device disclosed by Bartley et al. '539 lacks the use of a lower section in order to allow

Art Unit: 3673

the well region to be situated closely to a caregiver.) Hence, it is considered that the application is currently in full and proper condition for allowance.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert G. Santos whose telephone number is (703) 308-7469. The examiner can normally be reached on Tues-Fr and first Mondays, 10:30 a.m. to 8:00 p.m..


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather C. Shackelford can be reached on (703) 308-2978. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/612,267

Page 4

Art Unit: 3673

A handwritten signature in cursive script, reading "Robert G. Santos".

Robert G. Santos

Primary Examiner

Art Unit 3673

R.S.

August 9, 2004